





EG Bali 500 EX

700c Electric Mountain Bike

- All AL Alloy 4-point Dual Suspenion Frame
 AL Alloy adjustable and lockable
 - AL Alloy adjustable and lockable
 Suntour NEX Front Suspension Fork
 KindShock rear shock
- 27 Speed Shimano Alivio Front and Rear Derailleur with Chain Guard
- Microshift index Shifters
- Tektro AL Alloy Electric Brake Levers with motor inhibitors
- AL Alloy Front Hub and Rear Motor Hub
- Shimano HG series Cassette style Freewheel
- Premium EG Electric Bike Saddle
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- AL Alloy Handle Bar with an adjustable AL Alloy Stem Head
- AL Alloy Pedals
- AL Alloy Front and Rear 180mm Tektro Disc Brakes
- High Performance Front and Rear LED Lamps
- Kenda 700 x 45c All Season Road Hybrid Tires
- AL Alloy Double walled Rims
- Lightweight and Sturdy AL alloy Rear Rack and durable Plastic Fenders
- 48V 500W Brushless Electric Motor with gears, capable of constant 500w operation, not just peak power
- Lockable and Removable In Frame 48V 10AH Li-Ion Battery by Samsung
- 48V Torque Sensor and Battery Meter
- LCD Battery and Speedometer
- Up to 25 miles Range per charge
- Up to 32 mph on pedal assist and speed limited 20 mph on throttle
- 3 modes of operation:
 - Electric Motor Power on throttle
 - Electric Pedal Assist mode with 5 power level settings AND simultaneous Throttle control
 - Fully Manual mode
- Thumb Throttle for Precision control and Comfort
- AL Alloy Mid Kick Stand
- Available Colors: Matte Super Black, Matte Titanium Gray.
- Total Net Weight w battery: 56 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel











EG Milan 500 EX

700c Electric Mountain Bike

- All AL Alloy Cruiser Bicycle Frame
 - AL Alloy adjustable Suntour NEX Front Suspension Fork
- Low Step-thru Frame design
- 27 Speed Shimano Alivio Front and Rear Derailleur with Chain Guard
- Microshift index Shifters
- Tektro AL Alloy Electric Brake Levers with motor inhibitors
- AL Alloy Front Hub and Rear Motor Hub
- Shimano HG series Cassette style Freewheel
- Premium EG Electric Bike Saddle
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- AL Alloy Handle Bar with
 - an adjustable AL Alloy Stem Head
- AL Alloy Pedals
- AL Alloy Front and Rear 180mm Tektro Disc Brakes
- High Performance Front and Rear LED Lamps
- Kenda 700 x 45c All Season Road Hybrid Tires
- AL Alloy Double walled Rims
- Lightweight and Sturdy AL alloy Rear Rack and durable Plastic Fenders
- 48V 500W Brushless Electric Motor with gears, capable of constant 500w operation, not just peak power
- Lockable and Removable In Frame 48V 10AH Li-Ion Battery by Samsung
- 48V Torque Sensor and Battery Meter
- LCD Battery and Speedometer
- Up to 25 miles Range per charge
- Up to 32 mph on pedal assist and speed limited 20 mph on throttle
- 3 modes of operation:
 - Electric Motor Power on throttle
 - Electric Pedal Assist mode with 5 power level settings AND simultaneous Throttle control
 Fully Manual mode
- Thumb Throttle for Precision control and Comfort
- AL Alloy Mid Kick Stand
- Available Colors: Matte Super Black, Matte Titanium Gray.
- Total Net Weight w battery: 56 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel











EG Oahu 500 EX

26" Electric Cruiser Bicycle

- All AL Alloy Cruiser Bicycle Frame
 All Alloy adjustable Suptour XCT
- AL Alloy adjustable Suntour XCT Front Suspension Fork
- 8 Speed Shimano Alivio Rear Derailleur with Chain Guard
- Microshift index Shifters
- Tektro AL Alloy Electric Brake Levers with motor inhibitors
- AL Alloy Front Hub and Rear Motor Hub
- Shimano HG series Cassette style Freewheel
- Premium EG Electric Bike Saddle
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- AL Alloy Handle Bar with an adjustable AL Alloy Stem Head
- AL Alloy Pedals
- AL Alloy Front and Rear Tektro Disc Brakes
- High Performance Front and Rear LED Lamps
- Kenda 26" x 2.125" All Season White Walled Comfort Cruiser Tires
- AL Alloy Double walled Rims
- Lightweight and Sturdy AL alloy Rear Rack and durable Plastic Fenders
- 48V 500W Brushless Electric Motor with gears,
- Lockable and Removable 48V 10AH Li-Ion Battery by Samsung capable of charging a Smart Device
- 48V Speed Sensor and Battery Meter
- LCD Battery and Speedometer
- Up to 25 miles Range per charge
- Up to 28 mph on pedal assist and speed limited 20 mph on throttle
- 3 modes of operation:
 - Electric Motor Power on throttle
 - Electric Pedal Assist mode with 5 power level settings AND simultaneous Throttle control
 - Fully Manual mode
- Thumb Lever Throttle Precise Control and Comfort
- Steel Rear Kick Stand
- Available Colors: Matte Titanium Gray, Matte Super Black.
- Total Net Weight including the battery is 56 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel











EG Maui 500 EX

26" Electric Cruiser Bicycle

- All AL Alloy Cruiser Bicycle Frame
- AL Alloy adjustable Suntour XCT Front Suspension Fork
 Low Step-thru Frame design
- 8 Speed Shimano Alivio Rear Derailleur with Chain Guard
- Microshift index Shifters
- Tektro AL Alloy Electric Brake Levers with motor inhibitors
- AL Alloy Front Hub and Rear Motor Hub
- Shimano HG series Cassette style Freewheel
- Premium EG Electric Bike Saddle
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- AL Alloy Handle Bar with an adjustable AL Alloy Stem Head
- AL Alloy Pedals
- AL Alloy Front and Rear Tektro Disc Brakes
- High Performance Front and Rear LED Lamps
- Kenda 26" x 2.125" All Season White Walled Comfort Cruiser Tires
- AL Alloy Double walled Rims
- Lightweight and Sturdy AL alloy Rear Rack and durable Plastic Fenders
- 48V 500W Brushless Electric Motor with gears,
- Lockable and Removable 48V 10AH Li-Ion Battery by Samsung capable of charging a Smart device
- 48V Speed Sensor and Battery Meter
- LCD Battery and Speedometer
- Up to 25 miles Range per charge
- Up to 28 mph on pedal assist and speed limited 20 mph on throttle
- 3 modes of operation:
 - Electric Motor Power on throttle
 - Electric Pedal Assist mode with 5 power level settings AND simultaneous Throttle control
 - Fully Manual mode
- Thumb Lever Throttle Precise
 Control and Comfort
- Steel Rear Kick Stand
- Available Colors: Matte Titanium Gray, Matte Super Black.
- Total Net Weight including the battery is 56 lbs



** SS denotes the Material Stainless Steel











EG Vienna 250

- 20" Electric Folding Bicycle
- All AL Alloy Dual Suspension Frame
- AL alloy Zoom front suspension
 KindShock rear shock
- 6 Speed Shimano Alivio Rear Derailleur with Chain Guard
- Shimano thumb Shifter
- Thumb Throttle for ultimate control and comfort
- AL Alloy Tektro Electric Brake Levers
- AL Alloy Front and Rear Motor Hub
- Shimano Freewheel and Derailleur cables
- Premium Velo Mountain Bike Saddle
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- AL alloy Handle Bar with and foldable Stem
- Foldable Pedals
- AL Alloy Front and Rear Promax V Brakes
- Premium High Performance
 Front and Rear LED Lamp
- CST 20" x 1.95" City bike Tires
- AL Alloy Double walled Rims
- 24V 250W Brushless Electric Motor with gears
- Lockable and Removable 24V 10AH Li-Ion Battery
- 24V Speed Sensor and Battery Meter
- Up to 40 miles Range per charge
- Up to 20 mph on electric motor
 - Unassisted
- 3 modes of operation:
 - Electric Motor Power mode,Electric Pedal Assist mode
 - Electric Pedal Assist mode with 4 power level settings - Manual mode
- SS Rear Kick Stand
- Available Colors:
- Glossy Metallic Arctic White, Matte Metallic Electric Grey, Glossy Metallic Army Green.
- Total Net Weight including the battery is 52 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel











EG Athens 250

26" Electric Step-Over Bicycle

- All Aluminum Alloy Bicycle Frame
 Zoom AL Alloy suspension Front Fork
 Low Step over Frame design
- 7 Speed Shimano Acera Rear Derailleur with Chain Guard
- Shimano SIS Shifters
- Electric series Safety Brake Levers
- AL Alloy Front Hub and Rear Motor Hub
- Shimano Freewheel and Derailleur cables
- Premium Wide Comfort Bike Saddle and simulated leather grips.
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- AL Alloy Comfort bike Handle Bar with an adjustable AL Alloy Stem Head
- AL Alloy Pedals
- Promax AL Alloy Front and Rear V Brakes
- High Performance Front and Rear LED Lamps
- CST 26" x 1.75" All Season Comfort City Tires
- AL Double walled Alloy Rims
- Lightweight and Sturdy AL alloy Rear Rack and AL Alloy Fenders
- 36V 250W Brushless Electric Motor with gears
- Lockable and Removable
 36V 10AH Li-Ion Battery
- 36V Speed Sensor and Battery Meter
- Up to 40 miles Range per charge
- Up to 20 mph on electric motor Unassisted
- 3 modes of operation:
 - Electric Motor Power mode,
 - Electric Pedal Assist mode with 3 power level settings
 Manual mode
- Thumb Lever Throttle for Ultimate Speed Control and Comfort
- Premium Adjustable AL Alloy Center Kick Stand
- Available Colors: Glossy Arctic Metallic White, Glossy Super Black.
- Total Net Weight including the battery is 54 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel











EG Zurich 350 IX

700C Hybrid Electric Bicycle

- All AL Alloy 21" Hybrid Bicycle Frame - Hi-ten Steel front EBike Fork
- 7 Speed Shimano Nexus Rear Hub with internal shifting Derailleur
- Microshift Index Shifters
- Tektro AL Alloy Electric Bike Brake Levers
- AL Alloy Front Motor Hub
- Shimano Derailleur cables
- Premium Velo low profile Hybrid Bike Saddle
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- AL Alloy Hybrid Bike Handle Bar
- AL Alloy Pedals
- AL Alloy Front and Rear Promax V-Brakes
- High Performance Front and Rear LED Lamps
- CST 700x38c All Season Front and Rear Kevlar Tires with reflector trim
- AL Alloy double walled Rims
- Lightweight and Sturdy AL alloy Rear Rack,
- ABS Chainguard that fully encloses the drive train and ABS Fenders
- 36V 350W Brushless Electric Motor with gears
- Lockable and Removable 36V 12AH Li-Ion Battery
- Up to 50 miles Range per charge
- Up to 25 mph on electric motor Unassisted
- 3 modes of operation:
 - Electric Motor Power mode,
 - Electric Pedal Assist mode
 - with 4 power level settings
 - Manual mode
- Thumb Lever Throttle for Ultimate Speed Control and Comfort
- AL Alloy Mid Kick Stand
- Available Color:
 - Matte Super Black
 - Polished Aluminum Silver
- Total Net Weight including the 12AH battery is 57 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel











EG Zurich 350 IX Step-thru

700C Hybrid Electric Bicycle

- All AL Alloy 19" Hybrid Bicycle Step-thru Frame
 - Hi-ten Steel front EBike Fork
- 7 Speed Shimano Nexus Rear Hub with internal shifting Derailleur
- Microshift Index Shifters
- Tektro AL Alloy Electric Bike Brake Levers
- AL Alloy Front Motor Hub
- Shimano Derailleur cables
- Premium Velo low profile Hybrid Bike Saddle
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- AL Alloy Hybrid Bike Handle Bar
- AL Alloy Pedals
- AL Alloy Front and Rear Promax V-Brakes
- High Performance Front and Rear LED Lamps
- CST 700x38c All Season Front and Rear Kevlar Tires with reflector trim
- AL Alloy double walled Rims
- Lightweight and Sturdy AL alloy Rear Rack,
- ABS Chainguard that fully encloses the drive train and ABS Fenders
- 36V 350W Brushless Electric Motor with gears
- Lockable and Removable 36V 12AH Li-Ion Battery
- Up to 50 miles Range per charge
- Up to 25 mph on electric motor Unassisted
- 3 modes of operation:
 - Electric Motor Power mode,
 - Electric Pedal Assist mode with 4 power level settings
 - Manual mode
- Thumb Lever Throttle for Ultimate Speed Control and Comfort
- AL Alloy Mid Kick Stand
- Available Color:
 - Matte Super Black
 - Polished Aluminum Silver
- Total Net Weight including the 12AH battery is 57 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel











MSRP \$1299

EG Le Mans

26" Electric Hybrid Bicycle

- All Aluminum Alloy Bicycle Frame
- Light Weight AL Alloy Front Fork
 Low Step over Frame design
- 21 Speed Shimano Acera Rear and SIS Front Derailleur with Chain Guard
- Shimano SIS Shifters
- Electric series Safety Brake Levers
- AL Alloy Front Hub and
- AL Alloy Rear Motor Hub
- Shimano Freewheel and Derailleur cables
- Premium Mountain Bike Saddle with Gel inserts for Comfort
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- AL Alloy Handle Bar with an adjustable AL Alloy Stem Head
 AL Alloy Pedals
- Promax AL Alloy Front and Rear V Brakes
- High Performance Front and Rear LED Lamps
- CST 26" x 1.75" All Season Comfort City Tires
- Henli Double walled AL Alloy Rims
- Lightweight and Sturdy AL alloy Rear Rack and AL Alloy Fenders
- 36V 350W Brushless Electric Motor with gears
- Lockable and Removable 36V 10AH Li-Ion Battery
- 36V Speed Sensor and Battery Meter
- Up to 40 miles Range per charge
- Up to 20 mph on electric motor Unassisted
- 3 modes of operation:
 - Electric Motor Power mode,
 - Electric Pedal Assist mode with 3 power level settings
 - Manual mode
- Thumb Lever Throttle for Ultimate Speed Control and Comfort
- Premium Adjustable AL Alloy Center Kick Stand
- Available Colors: Glossy Arctic Metallic White, Glossy Super Black.
- Total Net Weight including the battery is 54 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel



960 Turnpike Street, Canton, MA 02021, U.S.A Phone:1.781.989.7305 E-mail:ContactUs@EGBike.com http://EGBike.com/EGUSA/



MSRP \$899

EG Enterprise

- 26" Electric Mountain Bike
- All Aluminum Alloy Bicycle - AL Alloy Front Suspension Frame
- 21 Speed Shimano Front and Rear Tourney SIS Derailleurs.
- Shimano SIS Shifters
- Electric series Safety Brake levers
- AL Alloy Front Hub and
- AL Alloy Rear Motor Hub
- Shimano Freewheel and Derailleur cables
- Premium Mountain Bike Saddle with Gel inserts for Comfort
- AL Alloy Suspension seat post
- SS KMC Chains and SS Spokes
- AL Alloy Pedals
- AL Alloy Handle Bar
- AL Alloy Front Disc and Rear V Brakes
- CST 26" x 1.95" All Season MTB Tires
- Henli Double walled AL Alloy Rims
- AL Alloy Midframe Kickstand
- Includes removable Front Lamp and Rear LED Lamp
- 24V 200W Electric Motor with gears
- Lockable and removable 24V 10AH Li-Ion Battery
- 24V Speed Sensor and Battery Meter
- Up to 40 miles Range per charge
- Up to 20 mph on electric motor
- 3 modes of operation:
 - Electric Motor Power mode,
 - Electric Pedal Assist mode with 2 power level settings
 - Manual mode
- Available Colors:
 - Glossy Arctic Metallic White, Matte Black
- Total Net Weight including the battery is 54 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel



960 Turnpike Street, Canton, MA 02021, U.S.A Phone:1.781.989.7305 E-mail:ContactUs@EGBike.com http://EGBike.com/EGUSA/







MSRP \$899

EG Kyoto

- 26" Electric Mountain Bike
- All Aluminum Alloy Bicycle - AL Alloy Front Suspension Frame
- 21 Speed Shimano Front and Rear Tourney SIS Derailleurs.
- Shimano SIS Shifters
- Electric series Safety Brake levers
- AL Alloy Front Hub and
- AL Alloy Rear Motor Hub
- Shimano Freewheel and
 Derailleur cables
- Premium Mountain Bike Saddle with Gel inserts for Comfort
- AL Alloy seat post
- SS KMC Chains and SS Spokes
- AL Alloy Pedals
- AL Alloy Handle Bar
- AL Alloy Front and Rear V Brakes
- CST 26" x 1.95" All Season MTB Tires
- Henli Double walled AL Alloy Rims
- AL Alloy Midframe Kickstand
- Includes removable Rear LED Lamp
- 24V 200W Electric Motor with gears
- Lockable and removable
 24V 10AH Li-Ion Battery
- 24V Speed Sensor and Battery Meter
- Up to 40 miles Range per charge
- Up to 20 mph on electric motor
- 3 modes of operation:
 - Electric Motor Power mode,
 - Electric Pedal Assist mode with 2 power level settings
 - Manual mode

 Available Colors: Glossy Arctic Metallic White, Matte Black

- Total Net Weight including the battery is 54 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel







EG Monte Carlo 500 EX

- 26/24" Electric Cruiser Bicycle
- All AL Alloy Cruiser Bicycle Frame
 Magnesium Alloy Double Barrel Zoom Front Suspension Fork
- 7 Speed Shimano Alivio Rear Derailleur with Chain Guard
- Shimano thumb Shifters
- Tektro Auriga Hydraulic Electric Bike Brake Levers
- AL Alloy Front Hub and Rear Motor Hub
- Shimano Freewheel and Derailleur cables
- Premium Velo Cruiser Bike Saddle
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- SS Extra Wide Cruiser Handle Bar
- AL Alloy Pedals
- AL Alloy Front and Rear Tektro Auriga Hydraulic Disc Brakes
- High Performance Front and Rear LED Lamps
- CST 26" x 2.125" All Season front and 24" x 2.125" Rear Cruiser Tires
- AL Alloy Extra Wide Rims
- Lightweight and Sturdy AL alloy Rear Rack,
- Steel Chainguard and Extra Wide Steel Fenders
- 48V 500W Brushless Electric Motor with gears
- Lockable and Removable 48V 10AH Li-Ion Battery
- Electronic Speedometer
- 48V Sensor and Battery Meter
- Up to 25 miles Range per charge
- Up to 20 mph on electric motor Unassisted
- 3 modes of operation:
 - Electric Motor Power mode,
 - Electric Pedal Assist mode with 5 power level settings
 Manual mode
- Thumb Lever Throttle for Ultimate Speed Control and Comfort
- Steel Rear Kick Stand
- Available Color: Matte Super Black.
- Total Net Weight including the battery is 56 lbs

* AL denotes the Material Aluminum

** SS denotes the Material Stainless Steel





960 Turnpike Street, Canton, MA 02021, U.S.A Phone:1.781.989.7305 E-mail:ContactUs@EGBike.com http://EGBike.com/EGUSA/







EG Oahu EX

- 26" Electric Cruiser Bicycle
- All AL Alloy Cruiser Bicycle Frame
 AL Alloy adjustable and Lockable RST Gila TnL Front Suspension Fork
- 7 Speed Shimano Alivio Rear Derailleur with Chain Guard
- Shimano thumb Shifters
- Tektro AL Alloy Electric Brake Levers
- AL Alloy Front Hub and Rear Motor Hub
- Shimano Freewheel and Derailleur cables
- Premium Velo Mountain Bike Saddle
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- AL Alloy Handle Bar with an adjustable AL Alloy Stem Head
- AL Alloy Pedals
- AL Alloy Front and Rear Promax Disc Brakes
- High Performance Front and Rear LED Lamps
- CST 26" x 2.0" All Season White Walled Comfort Cruiser Tires
- AL Alloy Double walled Rims
- Lightweight and Sturdy AL alloy Rear Rack and AL Alloy Fenders
- 36V 500W Brushless Electric Motor with gears
- Lockable and Removable 36V 10AH Li-Ion Battery
- 36V Speed Sensor and Battery Meter
- Up to 25 miles Range per charge
- Up to 20 mph on electric motor Unassisted
- 3 modes of operation:
 - Electric Motor Power mode,
 - Electric Pedal Assist mode with 4 power level settings
 Manual mode
- Thumb Lever Throttle for Ultimate Speed Control and Comfort
- AL Alloy Premium Adjustable Center Kick Stand
- Available Colors: Glossy Metallic Army Green, Glossy Metallic Midnight Blue.
- Total Net Weight including the battery is 56 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel









EG Maui

- 26" Electric Cruiser Bicycle
- All AL Alloy Cruiser Bicycle Frame
 AL Alloy adjustable and Lockable RST Gila TnL Front Suspension Fork
- Low Step-Over Frame design
- 7 Speed Shimano Alivio Rear Derailleur with Chain Guard
- Shimano thumb Shifters
- Tektro AL Alloy Electric Brake Levers
- AL Alloy Front Hub and Rear Motor Hub
- Shimano Freewheel and Derailleur cables
- Premium Velo Mountain Bike Saddle
- AL Alloy Seat Post
- SS KMC Chains and SS Spokes
- AL Alloy Handle Bar with an adjustable AL Alloy Stem Head
- AL Alloy Pedals
- AL Alloy Front and Rear Promax Disc Brakes
- High Performance Front and Rear LED Lamps
- CST 26" x 2.0" All Season White Walled Comfort Cruiser Tires
- AL Alloy Double walled Rims
- Lightweight and Sturdy AL alloy Rear Rack and AL Alloy Fenders
- 36V 350W Brushless Electric Motor with gears
- Lockable and Removable 36V 10AH Li-Ion Battery
- 36V Speed Sensor and Battery Meter
- Up to 40 miles Range per charge
- Up to 20 mph on electric motor Unassisted
- 3 modes of operation:
 - Electric Motor Power mode,
 - Electric Pedal Assist mode with 4 power level settings
 Manual mode
- Thumb Lever Throttle for Ultimate Speed Control and Comfort
- AL Alloy Premium Adjustable Center Kick Stand
- Available Colors: Glossy Metallic Arctic White, Glossy Metallic Electric Blue.
- Total Net Weight including the battery is 56 lbs
- * AL denotes the Material Aluminum
- ** SS denotes the Material Stainless Steel



